## **Schedule of Accreditation**

issued by

## **United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



0102

Accredited to ISO/IEC 17025:2017

# ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue No: 068 Issue date: 10 September 2024

Caleb Brett House Contact: Ashley Morgan
Unit A Tel: +44 (0)7828 416107

734 London Road E-Mail: ashley.morgan@intertek.com

West Thurrock Website: www.intertek.com
Grays

Essex RM20 3NL

Testing performed by the Organisation at the locations specified below

### Locations covered by the organisation and their relevant activities

#### **Laboratory locations:**

| Location details  |   | Activity  | Location code |
|---|---|---|---------------|
| Address West Thurrock Laboratory Caleb Brett House Unit A 734 London Road West Thurrock Grays Essex RM20 3NL    | Local contact Mr Gary Ogborn Tel: +44(0)1708 680200 E-mail: gary.ogborn@intertek.com        | Petroleum and Petroleum<br>Products                 | A             |
| Address Milford Haven Laboratory Unit 15 Waterston Industrial Estate Main Road Waterston Milford Haven SA73 1DP | Local contact Miss Sheena Watson Tel: +44 (0)1646 697675 E-Mail: sheena.watson@intertek.com | Petroleum and Petroleum<br>Products (Aviation fuel) | В             |
| Address Ellesmere Port Laboratory Lakeside Shellway Road Ellesmere Port Cheshire CH65 4LQ                       | Local contact Mr Richard Warner Tel: +44 (0)1513 552005 E-Mail: richard.warner@intertek.com | Petroleum and Petroleum<br>Products                 | С             |

Assessment Manager: DC1 Page 1 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Location details  |  | Activity   | Location code |
|---|--|--|---------------|
| Address Immingham Laboratory West Jetty Immingham Docks Immingham NE Lincolnshire DN40 2NT                                      | Local contact Mrs Alison Shannon Tel: +44 (0)1469 572353 E-Mail: alison.shannon@intertek.com                         | Petroleum and Petroleum<br>Products<br>Environmental Samples | D             |
| Address Teesside Laboratory Seal Sands Middlesbrough Cleveland TS2 1UB  | Local contact Mr Anthony Littlefair Tel: +44 (0)1642 540035 E-Mail: anthony.littlefair@intertek.com                  | Petroleum and Petroleum<br>Products<br>Environmental Samples | E             |
| Address South Hook Laboratory South Hook LNG Terminal Company Ltd Dale Road Herbrandston Milford Haven Pembrokeshire SA73 3SU   | Local contact Mr Adrian J Walsh Tel: +44 (0)1646 697675 E-Mail: adrian.walsh@intertek.com                            | Natural Gas<br>Environmental Samples                         | F             |
| Address Grangemouth Laboratory Carron Dock North Grangemouth Falkirk Stirling FK3 8UD   | Local contact Mr Murray Sergeant Tel: +44 (0)1324 472332 Mob: +44 (0)7930 243998 E-Mail: cb.grangemouth@intertek.com | Petroleum and Petroleum<br>Products                          | G             |
| Address Farnborough Laboratory Fuels & Lubricants Centre Building A7, Room 1068 Cody Technology Park Farnborough Hants GU14 0LX | Local contact Mr Andrew Clague +44 (0)1252 397339 E-Mail: andrew.clague@intertek.com                                 | Petroleum and Petroleum<br>Products                          | Н             |

Assessment Manager: DC1 Page 2 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

#### **DETAIL OF ACCREDITATION**

| Materials/Products tested        | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|----------------------------------|---|--|------------------|
|                                  | WEST THURRO   | <u>ск</u>  |                  |
| PETROLEUM AND PETROLEUM PRODUCTS | Chemical and Physical Tests                                 | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | А                |
| Aviation and distillate fuels    | Conductivity  | IP 274<br>ASTM D2624   | А                |
| Aviation turbine fuel, kerosene  | Burning characteristics - 24 hour method                    | IP 10  | А                |
|                                  | Cleanliness   | IP 565 by portable automatic particle counter  | А                |
|                                  | Estimation of net heat of combustion                        | ASTM D3338   | А                |
|                                  | Existent gum content - jet evaporation method               | IP 540   | Α                |
|                                  | Fatty acid methyl esters (FAME) content                     | IP 585 by GC-MS with selective ion monitoring/scan detection   | А                |
|                                  |   | IP 590 (HPLC)  | А                |
|                                  | Freezing point  | IP 529<br>ASTM D7153<br>By automatic laser   | А                |
|                                  | Freezing point - manual                                     | ASTM D2386<br>IP 16  | А                |
|                                  | Fuel System Icing Inhibitors (FSII)                         | ASTM D5006   | А                |

Assessment Manager: DC1 Page 3 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                 | Type of test/Properties<br>measured/Range of<br>measurement                    | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|--|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)   | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Aviation turbine fuel, kerosene (cont'd)  | Knock characteristics - supercharge method                                     | IP 119<br>ASTM D909  | Α                |
|   | Naphthalene hydrocarbons   | ASTM D1840 By ultraviolet spectrophotometry  | А                |
|   | Oxidation stability - potential residue method                                 | IP 138<br>ASTM D873  | А                |
|   | Particulate contamination - laboratory filtration method                       | ASTM D5452<br>MIL-DTL-83133  | Α                |
|   | Smoke point (manual method)  | IP 57<br>ISO 3014  | А                |
|   | Smoke point (auto and manual)  | IP 598<br>ASTM D1322   | А                |
|   | Thermal oxidation stability - jet fuel thermal oxidation tester (JFTOT) method | IP 323<br>ASTM D3241   | А                |
|   | Total acidity  | IP 354<br>ASTM D3242<br>By colour indicator titration  | А                |
|   | Water reaction   | IP 289<br>ASTM D1094   | А                |
|   | Water separation characteristics   | ASTM D3948<br>Using a portable<br>separometer  | А                |
|   |  |  |                  |

Assessment Manager: DC1 Page 4 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                                    | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|--|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd)                    | Chemical and Physical Tests (cont'd)                        | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Crude petroleum and liquid or solid petroleum products       | Density   | IP 189<br>IP 190<br>EN ISO 3838<br>By pyknometer   | А                |
| Diesel and domestic heating fuels                            | Cold filter plugging point (CFPP)                           | IP 309<br>EN 116   | А                |
| Diesel fuel  | Ignition quality - cetane engine method                     | IP 41<br>ASTM D613<br>EN ISO 5165  | A                |
|  | Lubricity assessment  | ISO 12156-1<br>IP 450<br>Using high frequency<br>reciprocating rig (HFRR)  | А                |
|  | Manganese   | BS EN 16576 and IP623 by ICP   | А                |
| Fatty Acid Methyl Esters<br>(FAME) and FAME/Diesel<br>blends | Oxidation stability   | IP 574, BS EN 15751<br>Accelerated oxidation   | А                |
| Fuel oil   | Hydrogen Sulphide   | IP 570 procedure A<br>Rapid liquid phase<br>extraction   | A                |

Assessment Manager: DC1 Page 5 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested                 | Type of test/Properties<br>measured/Range of<br>measurement            | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|--|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)                                   | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Gasoline, petrol                          | Benzene content  | IP 429<br>BS EN 238<br>By infra red spectrometry   | А                |
|   | Lead content   | ASTM D3237<br>By atomic absorption<br>spectroscopy (AAS)   | Α                |
|   | Lead content   | IP 270<br>EN ISO 3830  | А                |
|   | Manganese content  | IP 588<br>EN 16135<br>ASTM D3831 by AAS  | Α                |
|   | Organic oxygenate compounds and total organically bound oxygen content | IP 466<br>EN 13132 by Gas<br>Chromatography  | Α                |
|   | Oxidation stability - induction period method                          | IP 40<br>ASTM D525<br>EN ISO 7536  | А                |
|   | Phosphorus content   | ASTM D3231   | Α                |
|   | Hydrocarbon types specifically as specified in IP 566:                 | IP 566, EN ISO 22854 by<br>Multi Dimensional GC (GC<br>Reformulyzer)   | A                |
|   | Saturates<br>Aromatics<br>Olefins<br>Benzene                           |  |                  |

Assessment Manager: DC1 Page 6 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                   | Type of test/Properties<br>measured/Range of<br>measurement  | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|--|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd)   | Chemical and Physical Tests (cont'd)   | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Gasoline, petrol (cont'd)                   | Oxygenates specifically as specified in IP 566:  MTBE DIPE ETBE TAME Methanol Ethanol n-propanol ISO-propanol n-butanol iso-butanol sec-butanol tert butanol 2-methly-2-butanol Total Oxygen | IP 566, EN ISO 22854 by<br>Multi Dimensional GC (GC<br>Reformulyzer)   | A                |
| Lubricating oils (used), base oils          | Additive and selected elements, wear metals, and contaminants  | ASTM D5185 by ICP-AES  | А                |
| Motor and aviation-type fuels               | Knock characteristics - octane number by motor method (MON)  | IP 236<br>ASTM D2700<br>EN ISO 5163  | А                |
| Motor fuels                                 | Knock characteristics - octane number by research method (RON)   | IP 237<br>ASTM D2699<br>EN ISO 5164  | A                |
| Petroleum distillates and aliphatic olefins | Bromine number - electrometric method  | IP 130<br>ASTM D1159<br>ISO 3839   | А                |

Assessment Manager: DC1 Page 7 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested                 | Type of test/Properties measured/Range of measurement         | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)                          | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Petroleum products                        | Ash content   | IP 4<br>ASTM D482<br>ISO 6245  | А                |
|   | Asphaltenes   | IP 143<br>ASTM D6560   | А                |
| Petroleum products (cont'd)               | Base number - Perchloric acid potentiometric titration method | ASTM D2896 By perchloric acid potentiometric titration   | A                |
|   | Carbon residue - micro method                                 | IP 398<br>ASTM D4530   | А                |
|   | Carbon residue - Ramsbottom method                            | IP 14<br>ASTM D524<br>ISO 4262   | A                |
|   | Cloud point   | IP 219<br>EN 23015<br>ISO 3015<br>ASTM D2500   | A                |
|   | Colour - ASTM colour scale                                    | IP 196<br>ASTM D1500<br>ISO 2049   | А                |
|   | Colour - Lovibond tintometer method                           | IP 17  | А                |
|   | Colour - Saybolt by automatic tristimulus method              | ASTM D6045   | А                |
|   | Colour - Saybolt chronometer method                           | ASTM D156  | А                |

Assessment Manager: DC1 Page 8 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested                 | Type of test/Properties measured/Range of measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)                  | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Petroleum products (cont'd)               | Corrosiveness to Copper                               | IP 154<br>ASTM D130<br>EN ISO 2160   | А                |
|   | Coumarin content                                      | IP 374 by fluorimetric and high performance liquid chromatography (HPLC) methods   | А                |
|   | Density - oscillating U-tube method                   | ASTM D4052<br>IP 365<br>EN ISO 12185   | А                |
|   | Distillation (at atmospheric pressure)                | ASTM D86<br>IP 123<br>EN ISO 3405  | А                |
|   | Distillation (at reduced pressure)                    | ASTM D1160   | А                |
|   | Doctor test   | IP 30  | Α                |
|   | Dry vapour pressure equivalent (calculated)           | IP 394<br>EN 13016-1   | А                |
|   | Elemental Analysis: Carbon,<br>Hydrogen and Nitrogen  | ASTM D5291   | А                |
|   | Filter blocking tendency                              | IP 387<br>ASTM D2068   | А                |
|   | Flash and Fire points -<br>Cleveland open cup method  | IP 36<br>EN ISO 2592<br>ASTM D92   | А                |

Assessment Manager: DC1 Page 9 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue date: 10 September 2024 **Issue No:** 068

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested                 | Type of test/Properties<br>measured/Range of<br>measurement             | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)                                    | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Petroleum products (cont'd)               | Flash point - Pensky-Martens closed cup method                          | IP 34<br>ASTM D93<br>EN ISO 2719   | А                |
|   | Flash/no Flash and Flash point - rapid equilibrium closed cup method    | IP 523<br>EN ISO 3679  | A                |
|   | Hydrocarbon types -<br>fluorescent indicator<br>adsorption (FIA) method | IP 156<br>ASTM D1319   | А                |
|   | Low lead concentration  | IP 428, BS EN 237<br>Atomic Absorption<br>Spectroscopy<br>(AAS)  | Α                |
|   | Nitrogen  | ASTM D5762 by boat-inlet chemiluminescence   | А                |
|   | Pour point  | IP 15<br>ASTM D97<br>ISO 3016  | A                |
|   | Quinizarin content - extraction spectrophotometric method               | IP 298   | А                |
|   | Specific energy (calorific value)                                       | IP 12  | А                |
|   | Sulphur content   | IP 336<br>ISO 8754<br>ASTM D4294<br>by energy-dispersive X-ray<br>fluorescence (ED-XRF)  | A                |

Assessment Manager: DC1 Page 10 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                         | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd)         | Chemical and Physical Tests (cont'd)                        | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Petroleum products (cont'd)                       | Sulphur content   | IP 490<br>ISO 20846<br>ASTM D5453<br>By ultraviolet fluorescence   | A                |
|   | Vapour Pressure - mini<br>method                            | ASTM D5191   | А                |
|   | Viscosity kinematic   | IP 71, Section 1<br>ASTM D445<br>EN ISO 3104   | A                |
|   | Water content   | IP 438<br>EN ISO 12937<br>by coulometric Karl Fischer<br>titration   | Α                |
|   | Weak and strong acid number                                 | IP 177<br>ASTM D664<br>By potentiometric titration   | A                |
| Petroleum products -<br>distillate fuels          | Free Water and particulate contamination                    | ASTM D4176<br>By visual inspection   | Α                |
| Petroleum products - light and middle distillates | Gum content - jet evaporation method                        | IP 131<br>EN ISO 6246<br>ASTM D381   | A                |
|   | Hydroperoxide number  | ASTM D3703   | Α                |
|   | Thiol (mercaptan) sulphur content - potentiometric method   | IP 342<br>ASTM D3227<br>ISO 3012   | A                |

Assessment Manager: DC1 Page 11 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                                     | Type of test/Properties<br>measured/Range of<br>measurement   | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd)                     | Chemical and Physical Tests (cont'd)  | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Petroleum products - middle distillate fuels                  | Ignition delay and derived cetane number  | IP 498 EN 15195 ASTM D6890 By combustion in a constant volume chamber  | A                |
|   | Oxidation stability - accelerated method  | IP 388<br>ASTM D2274<br>EN ISO 12205   | A                |
|   | Particulate content - laboratory filtration method  | IP 415   | А                |
| Petroleum products - middle distillates                       | Aromatic hydrocarbons - high performance liquid chromatography (HPLC) method with refractive index detection method | IP 391<br>EN 12916<br>By HPLC with refractive<br>index detection   | A                |
|   | Cetane index - calculation by the four-variable equation  | IP 380<br>ISO 4264<br>ASTM D4737   | A                |
|   | Fatty acid methyl ester (FAME) content  | IP579<br>EN 14078<br>By infrared spectrometry  | А                |
| Petroleum products- middle distillates, diesel fuels and FAME | Total contamination   | IP 440<br>EN 12662<br>By vacuum and weighing   | А                |
| Petroleum products and bituminous materials                   | Water content   | IP 74<br>ASTM D95<br>ISO 3733<br>By Dean and Stark   | А                |

Assessment Manager: DC1 Page 12 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue date: 10 September 2024 **Issue No:** 068

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                   | Type of test/Properties<br>measured/Range of<br>measurement                       | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd)   | Chemical and Physical Tests (cont'd)  | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | A                |
| Petroleum products and hydrocarbon solvents | Aniline point   | IP 2<br>ASTM D611<br>ISO 2977  | A                |
| Petroleum products and lubricants           | Acid or base number   | IP 139<br>ASTM D974<br>ISO 6618<br>Colour indicator titration  | A                |
| Petroleum products and other liquids        | Flash point - Abel closed cup method  | IP 170<br>EN ISO 13736   | А                |
| Residual fuel oil                           | Aluminium, silicon, vanadium, nickel, iron, sodium, calcium, zinc and phosphorous | IP 501<br>By ashing, fusion and ICP-<br>ES   | A                |
|   | Total sediment content - hot filtration method                                    | IP 375<br>ASTM D4870<br>ISO 10307-1  | A                |
|   | Total sediment content -<br>thermal ageing, chemical<br>ageing                    | IP 390<br>ASTM D4870<br>ISO 10307-2  | A                |
|   | Determination of needle penetration   | IP49 / EN1426  | А                |
|   | Determination of softening point – ring and ball method                           | IP58 / EN1427  | Α                |
|   |   |  |                  |
|   |   |  |                  |

Assessment Manager: DC1 Page 13 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue date: 10 September 2024 **Issue No:** 068

### Testing performed by the Organisation at the locations specified

| Materials/Products tested        | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|----------------------------------|---|--|------------------|
|                                  | MILFORD HAVE  | <u>EN</u>  |                  |
| PETROLEUM AND PETROLEUM PRODUCTS | Chemical and Physical Tests                                 | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | В                |
| Aviation Turbine Fuel            | Total acidity   | IP 354, ASTM D3242   | В                |
|                                  | Corrosiveness to copper                                     | IP 154, ASTM D130  | В                |
|                                  | Colour – Saybolt  | ASTM D156  | В                |
|                                  | Density and relative density                                | ASTM D4052, IP 365   | В                |
|                                  | Distillation characteristics at atmospheric pressure        | IP 123, ASTM D86   | В                |
|                                  | Doctor test   | IP 30, ASTM D4952  | В                |
|                                  | Existent gum - gum extent of aviation turbine fuel          | IP 540   | В                |
|                                  | Estimation of net heat of combustion                        | ASTM D3338   | В                |
|                                  | Flash point by Abel closed cup                              | IP 170   | В                |
|                                  | Freezing point of aviation fuels                            | IP 16, ASTM D2386<br>(manual)<br>IP 529, ASTM D7153<br>(automatic)   | В                |
|                                  | Hydrocarbon types by FIA                                    | IP 156, ASTM D1319   | В                |

Assessment Manager: DC1 Page 14 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested                 | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
| PETROLEUM AND PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)                        | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | В                |
| Aviation Turbine Fuel (cont'd)            | Mercaptan sulphur   | IP 342, ASTM D3227   | В                |
|   | Naphthalene hydrocarbons in aviation turbine fuels          | ASTM D1840   | В                |
|   | Smoke point – manual only                                   | ASTMD1322, IP 598  | В                |
|   | Sulphur content   | IP 336   | В                |
|   | Viscosity kinematic   | IP 71 Section 1, ASTM<br>D445  | В                |
|   | Water separation characteristics of aviation fuels (MSEP)   | ASTM D3948   | В                |

Assessment Manager: DC1 Page 15 of 28



## Schedule of Accreditation issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue No: 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested        | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|----------------------------------|---|--|------------------|
|                                  | ELLESMERE PO  | PRT  |                  |
| PETROLEUM PRODUCTS,<br>LUBE OILS | Chemical and Physical Tests                                 | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | O                |
|                                  | Colour  | ASTM D1500   | С                |
|                                  | Density   | IP 365   | С                |
|                                  | Distillation (automatic only)                               | ASTM D86   | С                |
|                                  | Flash Point (COC)   | IP 36  | С                |
|                                  | Heat of combustion (gross and net)                          | IP 12<br>ASTM D240   | С                |
|                                  | Pour Point  | IP 15<br>ASTM D97  | С                |
|                                  | Refractive Index  | ASTM D1218   | С                |
|                                  | RVP (minivap)   | ASTM D5191   | С                |
|                                  | Sulphur Content   | IP 336   | С                |
|                                  | Viscosity   | IP 71<br>ASTM D445   | С                |
|                                  | Water Content   | IP 438   | С                |
| Lube oils                        | Apparent viscosity (Cold Cranking Simulator)                | ASTM D5293   | С                |
|                                  | Evaporative Loss (Noack)                                    | ASTM D5800   | С                |
| Solvents                         | Distillation (automatic only)                               | ASTM D1078   | С                |

Assessment Manager: DC1 Page 16 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested                         | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|---|--|------------------|
|   | <u>IMMINGHAM</u>  |  |                  |
| BIODIESEL, PETROLEUM<br>and PETROLEUM<br>PRODUCTS | Chemical and Physical Tests                                 | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | D                |
|   | Density   | IP 365<br>EN ISO 12185<br>ASTM D4052   | D                |
|   | Viscosity   | IP 71<br>ASTM D445<br>EN ISO 3104  | D                |
|   | Sulphur Content   | IP 490<br>EN ISO 20846   | D                |
|   | Iodine Number   | EN ISO 14111   | D                |
|   | Acid Value  | EN ISO 14104   | D                |
|   | Water Content   | IP 438<br>EN ISO 12937   | D                |
| Hydrocarbon Solvents                              | Appearance  | In-house method<br>IMM-LAB-SWI-146 based<br>on client method EC-<br>A_A01  | D                |
|   | Aromatics content   | In-house method<br>IMM-LAB-SWI-144 based<br>on client method UV 1 by<br>UV/Vis   | D                |
|   | Colour -<br>Platinum cobalt<br>Saybolt                      | ASTM D1209<br>ASTM D6045   | D                |

Assessment Manager: DC1 Page 17 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue date: 10 September 2024 **Issue No:** 068

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                                  | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|--|---|--|------------------|
| BIODIESEL, PETROLEUM<br>and PETROLEUM<br>PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)                        | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | D                |
|  | Distillation at atmospheric pressure                        | ASTM D86   | D                |
|  | Distillation range of volatile organic liquids              | ASTM D1078   | D                |
|  | Flash point   | ASTM D93<br>ASTM D56   | D                |
|  | Refractive index  | ASTM D1218   | D                |
|  | Solvent composition   | In-house method<br>IMM-LAB-SWI-126 based<br>on client method GC 3 by<br>GC-FID   | D                |
|  | Water content of volatile solvents                          | ASTM D1364   | D                |
| TRADE EFFLUENT (to controlled water)                       | Chemical and Physical Tests                                 |  | D                |
|  | рН  | In-house method IMM-<br>LAB-SWI-100 based on<br>APHA 4500-H+   | D                |
|  | Suspended solids  | In-house method IMM-<br>LAB-SWI-101 based on BS<br>EN 872  | D                |
|  |   |  |                  |

Assessment Manager: DC1 Page 18 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested        | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|----------------------------------|---|--|------------------|
|                                  | TEESSIDE  |  |                  |
| PETROLEUM and PETROLEUM PRODUCTS | Chemical and Physical Tests                                 | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | E                |
|                                  | Cold Filter Plugging Point                                  | IP 309<br>BS EN 116  | E                |
|                                  | Colour Pt-Co (Hazen)  | ASTM D5386   | E                |
|                                  | Density   | ASTM D4052<br>IP 365<br>EN ISO 12185   | E                |
|                                  | Distillation  | ASTM D86<br>IP 123<br>EN ISO 3405  | E                |
|                                  | Ester Content   | EN ISO 14103:2011  | E                |
|                                  | Flash Point   | ASTM D93<br>IP 34<br>EN ISO 2719<br>Pensky Martens Closed<br>Cup   | E                |
|                                  | Lubricity   | IP 450<br>ISO 12156-1:2006   | E                |
|                                  | Motor Octane Number (MON)                                   | ASTM D2700<br>IP 236<br>EN ISO 5163  | E                |
|                                  | Oxidation Stability   | BS EN 14112  | E                |

Assessment Manager: DC1 Page 19 of 28



## Schedule of Accreditation issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue No: 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested                 | Type of test/Properties measured/Range of measurement    | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|--|--|------------------|
| PETROLEUM and PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)                     | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | E                |
| Petroleum Distillates                     | Paraffin, naphthene and aromatic hydrocarbon types (PNA) | ASTM 5443  | E                |
|   | Research Octane Number (RON)                             | ASTM D2699<br>IP 237<br>EN ISO 5164  | E                |
|   | Sulphur  | ASTM D5453<br>IP 490<br>EN ISO 20846   | E                |
|   | Vapour Pressure  | ASTM D5191<br>IP 394<br>EN 13016   | E                |
|   | Viscosity  | ASTM D445<br>IP 71<br>ISO 3104   | E                |
| Petroleum Products                        | Water Content  | IP 438<br>EN ISO 12937   | E                |
| Volatile Solvents                         | Water Content  | ASTM D1364   | E                |
| Petroleum and Petroleum Products          | Water Content  | ASTM E203  | E                |
| Organic Liquids                           | Water Content  | ASTM E1064   | E                |
| FATTY ACID METHYL                         | Chemical Testing   |  | Е                |
| ESTERS                                    | Sodium   | BS EN 14108  | Е                |
|   | Potassium  | BS EN 14109  | E                |

Assessment Manager: DC1 Page 20 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used  | Location<br>Code |
|---------------------------|---|---|------------------|
| ENVIRONMENTAL<br>SAMPLES  | Chemical Testing  |   | E                |
| Surface water             | Chemical Oxygen Demand                                      | BS ISO 15705  | E                |
|                           | Suspended Solids  | BS EN 872   | Е                |
|                           | Biochemical Oxygen Demand                                   | In-house method TEE-<br>LAB-SOP-12 based on BS<br>EN 1899 | E                |
|                           |   |   |                  |

Assessment Manager: DC1 Page 21 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue date: 10 September 2024 **Issue No:** 068

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested           | Type of test/Properties<br>measured/Range of<br>measurement  | Standard specifications/<br>Equipment/Techniques<br>used                     | Location<br>Code |
|-------------------------------------|--|--|------------------|
|                                     | SOUTH HOOK   | <u>(</u>   |                  |
| NATURAL GAS                         | Chemical and Physical Tests  | In house methods in the series SHT-LAB-SOP-xx and SHT-LAB-TP-xx              | F                |
|                                     | Composition  | GPA 2261:2020 by GC  | F                |
|                                     | Incomplete combustion factor and soot index  | Calculation from statutory instrument 1996 number 551 gas safety regulations | F                |
|                                     | Moisture dew point   | ASTM D5454: 11e1<br>SHT-LAB-SOP-06   | F                |
|                                     | Molecular weight, vapour density, relative vapour density, gross heating value, net heating value, Wobbe Index | ISO 6976:2016 and ISO<br>6976:2005 (superseded) by<br>calculation            | F                |
|                                     | Determination of oxygen present  | SHT-LAB-TP-02 by oxygen meter  | F                |
|                                     | Determination and speciation of sulphur compounds  | ISO 19739:04/Cor 1:2009 by GC  | F                |
| NATURAL GAS                         | Sampling   |  | F                |
|                                     | Spot and composite sampling of Natural Gas during vessel discharges at South Hook LNG Terminal                 | SHT-LAB-SOP-15   | F                |
| TRADE EFFLUENT TO CONTROLLED WATERS | Sampling   |  | F                |
|                                     | Sampling   | SHT-LAB-SOP-07   | F                |

Assessment Manager: DC1 Page 22 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                          | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used        | Location<br>Code |
|--|---|---|------------------|
| TRADE EFFLUENT TO<br>CONTROLLED WATERS<br>(cont'd) | Chemical and Physical Tests                                 | In house methods in the series SHT-LAB-SOP-xx and SHT-LAB-TP-xx | F                |
|  | Free chlorine   | SHT-LAB-TP-01 by Hach<br>Test Kit                               | F                |
|  | Nitrates  | APHA 4500-NO₃-B by UV<br>(2019)                                 | F                |
|  | pH  | BS EN ISO 10523: 2012   | F                |
|  | Total suspended solids                                      | BS 6068-2.54:05   | F                |
|  | Turbidity   | BS EN ISO 7027-1:2016   | F                |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |
|  |   |   |                  |

Assessment Manager: DC1 Page 23 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested        | Type of test/Properties measured/Range of measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|----------------------------------|---|--|------------------|
|                                  | GRANGEMOUT  | <u>'H</u>  |                  |
| PETROLEUM and PETROLEUM PRODUCTS | Chemical and Physical Tests                           | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | G                |
| Crude Oil                        | Density   | IP 365   | G                |
| Crude Oil                        | Water Content   | IP 386   | G                |

Assessment Manager: DC1 Page 24 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested        | Type of test/Properties<br>measured/Range of<br>measurement | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |  |  |
|----------------------------------|---|--|------------------|--|--|
| <u>FARNBOROUGH</u>               |   |  |                  |  |  |
| PETROLEUM and PETROLEUM PRODUCTS | Chemical and Physical Tests                                 | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | Н                |  |  |
|                                  | Total acid number of oils                                   | SAE ARP 5088   | Н                |  |  |
|                                  | Total acid number of used oils                              | In-House Documented<br>Procedure FLM 196 using<br>Methrolm 778/794/836/815<br>(based on SAE ARP 5088)  | Н                |  |  |
|                                  | Total base number of used oils                              | In-House Documented<br>Procedure FLM 221   | Н                |  |  |
|                                  | Diesel Fuel Diluent in used engine oils                     | In-House Documented<br>Procedure FRN-LAB-SOP-<br>04 by Gas<br>Chromatography   | Н                |  |  |
|                                  | Water content of used oils                                  | In-House Documented<br>Procedure FLM 198 using<br>Metrohm 774<br>Karl Fischer<br>(based on ASTM D6304)   | Н                |  |  |
|                                  | Specific gravity of used oils                               | In-House Documented<br>Procedure FLM 199 using<br>DA500<br>(based on IP 365)   | Н                |  |  |
|                                  | HIAC particle counting in fluids and lubricants             | In-House Documented Procedure FLM 207 using automatic particle counting equipment  | Н                |  |  |

Assessment Manager: DC1 Page 25 of 28



## Schedule of Accreditation issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

Issue No: 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested   | Type of test/Properties<br>measured/Range of<br>measurement  | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|-----------------------------|--|--|------------------|
| PETROLEUM PRODUCTS (cont'd) | Chemical and Physical Tests (cont'd)   | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | Н                |
|                             | Kinematic viscosity of used oils   | In-House Documented<br>Procedure FLM 200 using<br>Automatic Houillon<br>Viscometer (based on<br>ASTM D7279)  | Н                |
|                             | Appearance   | In-House Documented<br>Procedure FLM 212   | Н                |
|                             | Debris analysis  | In-House Documented Procedures 114 and 174 using Millipore Filtration, Scanning Electron Microscopy with X-Ray Analysis  | Н                |
|                             | Elemental analysis of used oils including: Ag, Al, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Li, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Se, Si, Sn, Sr, Ti, Tl, V, W, Zn | In-House Documented<br>Procedure FRN-LAB-SOP-<br>15using Inductively<br>Coupled Plasma (based on<br>ASTM D5185)  | Н                |
|                             | Analysis of used oils for:<br>Chlorine<br>Sulphur  | In-House Documented<br>Procedures 183 using<br>EDXRF<br>(based on IP 336)  | Н                |
|                             | Kinematic Viscosity at 40C, 100C and 100F (37.78C)   | ASTM D445 and IP71   | Н                |
|                             | Determination of oxidation of used motor oils  | DIN 51453  | Н                |
|                             |  |  |                  |

Assessment Manager: DC1 Page 26 of 28



### **Schedule of Accreditation** issued by

## United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

### Testing performed by the Organisation at the locations specified

| Materials/Products tested                         | Type of test/Properties<br>measured/Range of<br>measurement  | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---|--|--|------------------|
| PETROLEUM and PETROLEUM PRODUCTS (cont'd)         | Performance tests  | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | Н                |
|   | Load carrying capacity test for transmission lubricants (FZG Rig)  | CEC-L-07-95  | Н                |
|   | Viscosity shear stability of transmission lubricants (taper roller bearing rig)  | CEC-L-45-99  | Н                |
|   | Evaluation of the mechanical shear stability of lubrication oils containing polymers   | CEC-L-14-93  | Н                |
|   | Oxidation test for engine oils pperating in the presence of biodiesel  | CEC-L-109-14   | Н                |
| AVIATION LUBRICANTS                               | Physical Tests   |  | Н                |
|   | Evaluation of coking propensity  | SAE ARP 5996using the<br>Hot Liquid Process<br>Simulator (HLPS) Single<br>Phase Flow Technique   | Н                |
| FUELS   | Chemical and Physical Tests  |  |                  |
|   | Density at 15 °C   | IP 365   | Н                |
|   | Aviation Fuel Thermal Oxidation Stability Test   | IP 323   | Н                |
| BURNER FUELS DERIVED<br>FROM WASTE MINERAL<br>OIL | Metals: lead, nickel,<br>chromium, copper, zinc,<br>arsenic, cadmium, thallium,<br>antimony, cobalt, manganese<br>and vanadium | IP 592 by ICPMS  | Н                |

Assessment Manager: DC1 Page 27 of 28



### **Schedule of Accreditation** issued by

# United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

## ITS Testing Services (UK) Limited (Caleb Brett - Downstream)

**Issue No:** 068 Issue date: 10 September 2024

#### Testing performed by the Organisation at the locations specified

| Materials/Products tested       | Type of test/Properties measured/Range of measurement  | Standard specifications/<br>Equipment/Techniques<br>used   | Location<br>Code |
|---------------------------------|--|--|------------------|
| OILS AND GREASES                | Chemical and Physical Tests  | Flexible scope enabling new versions of existing accredited standard test methods to be introduced in accordance with documented Intertek corporate procedure COR-PR-14 (Management of Change) | Н                |
|                                 | Determination of ferromagnetic debris in fluids, lubricants and greases  | FLM 31 using pqA   | н                |
|                                 | Extreme Pressure Properties of Lubricating Greases   | ASTM D2596 by Four Ball<br>Tester  | Н                |
|                                 | Extreme Pressure and Anti-<br>wear Properties of Lubricating<br>Fluids and Greases<br>(friction measurement not<br>measured) | IP 239 by Four Ball Tester   | Н                |
| DRINKING WATER (non regulatory) | Chemical Tests   |  |                  |
|                                 | Metals: Aluminium Antimony Arsenic Boron Cadmium Chromium Iron Lead Manganese Mercury Nickel Selenium                        | Documented In-House<br>Method<br>MT-ELE-23 by ICP-MS<br>(Part of BS 6920: Part 2<br>Metals analysis)   | H                |
|                                 | END  |  |                  |

Assessment Manager: DC1 Page 28 of 28