


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 4252 Accredited to ISO/IEC 17025:2017	Orchid Cellmark Ltd Trading as Keith Borer Consultants	
	Issue No: 024 Issue date: 06 November 2024	
Locard House Belmont Business Park Durham DH1 1TW United Kingdom	Contact: Mr Karl A Ebejer Tel: +44 (0) 191 332 4999 Fax: +44 (0) 191 332 4990 E-Mail: kbc@keithborer.co.uk Website: www.keithborer.co.uk	
Testing performed by the Organisation at the locations specified		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code	
Locard House Belmont Business Park Durham DH1 1TW	Local contact Mr Karl A Ebejer	Searching for Blood and presumptive testing for blood Capture and Preservation of Digital Data	A
Suite 2 6B Vantage Park Washingley Road Huntingdon PE29 6SR	Local contact Mr Karl A Ebejer	Handwriting and signature comparison Document examination	B



4252

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Orchid Cellmark Ltd Trading as Keith Borer Consultants

Issue No: 024 Issue date: 06 November 2024

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
	<u>Forensic Testing</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice in relation to the Forensic Activities listed below.	A & B
BODY FLUIDS and TISSUES	<u>Forensic Analysis</u>		
Any material	Searching for: - Blood	Documented In-House Methods using: - visual examination - low power microscopy	A
Blood	Presumptive Testing for Blood: - Peroxidase	Documented In-House Methods using: - LMG (Leucomalachite green)	A
DIGITAL DEVICES AND DATA	<u>Forensic Analysis</u>		
Computers and digital storage devices - Hard disk drives	Capture and preservation of data	Documented in-house method(s) (COM010) using: - EnCase - FTK Imager - Tableau T35u	A
Data associated with the following: - Microsoft Windows - Linux	Processing of data	Documented in-house method(s) COM016 and COM017 using: - AXIOM - X-Ways Forensic	A



4252

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Orchid Cellmark Ltd Trading as Keith Borer Consultants

Issue No: 024 Issue date: 06 November 2024

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA (cont'd) Computers and digital storage devices Data associated with the following: - Microsoft Windows - Linux - MacOS	<u>Forensic Analysis</u> (cont'd) Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering - Database Analysis - Application Analysis	Documented in-house method (COM019) using: - X-Ways Forensic - AXIOM	A
Data associated with the following: - Microsoft Windows	Analysis of Data - Keyword Analysis - File Data Filtering - Database Analysis	Documented in-house method (COM010) using: - DB Browser for SQLite	A
Mobile Phones Mobile phone handsets and tablets associated with the following operating systems: - Apple iOS - Apple iPadOS	Capture and preservation of data	Documented in-house method (MOB013) using: - Manual extraction - UFED 4PC	A
Data associated with the following: - Apple iOS - Apple iPadOS	Processing of data	Documented in-house method (MOB014) using: - Physical Analyzer	A
	Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering - Database Analysis - Application Analysis	Documented in-house method (MOB014) using: - Physical Analyzer	A



4252

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Orchid Cellmark Ltd Trading as Keith Borer Consultants

Issue No: 024 Issue date: 06 November 2024

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DOCUMENTS	<u>Forensic Analysis</u> (cont'd)		
Handwriting (Roman script)	The examination of submitted items to compare handwriting from known and suspect sources.	Documented in house method HAN001 using <ul style="list-style-type: none"> - visual examination - low power microscopy - photography 	B
Signatures	<u>Opinions and Interpretation</u> The evaluation of the significance of any similarities and differences between the handwriting on submitted items and/or suspect/reference sources to determine the likelihood of them being written by the same/different individuals.	Documented in house method HAN002 using <ul style="list-style-type: none"> - visual examination - low power microscopy - photography 	B
Paper and other material	Detection and enhancement of indented marks made by handwriting	Documented in house method (method HAN006) using <ul style="list-style-type: none"> - Oblique lighting - ESDA 	B



4252

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Orchid Cellmark Ltd Trading as Keith Borer Consultants

Issue No: 024 Issue date: 06 November 2024

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DOCUMENTS (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Documents	Detection of altered or obliterated entries	Documented in house method HAN006 and HAN008 using. <ul style="list-style-type: none"> - visual examination - low power microscopy - Oblique lighting - ESDA - VSC 	B
	<u>Related Opinions and Interpretations</u> The decipherment of altered or obliterated entries to determine the likelihood of document amendment		
Inks	Comparison of inks	Documented in house method HAN008 using. <ul style="list-style-type: none"> - visual examination - low power microscopy - VSC 	B
END			