

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 7644 Accredited to ISO/IEC 17025:2017	The Omega Group (Operations) Limited	
	Issue No: 014 Issue date: 02 October 2024	
	18 – 19 Baird Close Drayton Fields Industrial Estate Daventry NN11 8RY United Kingdom	Contact: Mr Karl Huckin Tel: +44 (0)1327 552077 E-Mail: csteam@theomegagroup.co.uk Website: www.theomegagroup.co.uk
Testing performed by the Organisation at the locations specified		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address: 18 - 19 Baird Close Drayton Fields Industrial Estate Daventry NN11 8RY Local contact: Mr K Huckin	Sampling: Concrete (fresh) Testing: Aggregates – physical testing Concrete - mechanical, & physical testing and manufacture of test specimens	Daventry

Site activities performed away from the locations listed above:

Location details	Activity	Location code
All suitable site locations Local contact: Mr K Huckin	Sampling: Concrete (fresh) Testing: Concrete – physical testing	Site



7644
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The Omega Group (Operations) Limited
Issue No: 014 Issue date: 02 October 2024

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Particle size distribution - sieving method	BS EN 933-1:2012	Daventry
AGGREGATES for Concrete	Particle size distribution by sieving method	BS ISO 20290-5:2023	Daventry
CONCRETE - fresh	Sampling fresh concrete on site - spot sample	BS EN 12350-1:2019	Site
	Sampling fresh concrete on site - composite sample	BS EN 12350-1:2019	Site
	Slump	BS EN 12350-2:2019	Daventry Site
	Making test cubes	BS EN 12390-2:2019	Daventry Site
	Flow table test	BS EN 12390-5:2019	Daventry Site
	Density	BS EN 12390-6:2019	Daventry Site
	Air content – pressure gauge method	BS EN 12390-7:2019	Daventry Site
CONCRETE - hardened	Slump flow test and T500 - self compacting concrete	BS EN 12390-8:2019	Daventry Site
	Compressive strength of cubes - including curing	BS EN 12390-3:2019 BS EN 12390-1:2021 BS EN 12390-2:2019	Daventry
	Density	BS EN 12390-7:2019 + AC 2020	Daventry

END