


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <b>7686</b> Accredited to ISO/IEC 17025:2017	<b>AQUAPLUS LIMITED</b>	
	Issue No: 011    Issue date: 28 October 2024	
	The Cobblers The Green Elstead Surrey GU8 6DD	Contact: Mr Colin Jones Tel: +44 (0) 1483 428 612 E-Mail: info@aquaplus-uk.com Website: www.aquaplus-uk.com
Testing performed by the Organisation at the locations specified		

Locations covered by the organisation and their relevant activities

Site activities performed away from the locations listed above:

Location details		Activity	Location code
<b>Address</b> The Cobblers The Green Elstead Surrey GU8 6DD	<b>Local contact</b> Mr C Jones	Management of the work only all site activities are performed away from the location listed above	N/A
<b>Address</b> All locations suitable for the activities listed	<b>Local contact</b> Mr C Jones	Testing Curtain walling, windows & glazing	Site



7686  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**AQUAPLUS LIMITED**

**Issue No:** 011    **Issue date:** 28 October 2024

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CURTAIN WALLING RAINSCREENS SLOPE GLAZING	Water Penetration – Hose Test	CWCT Standards for Systemised Building Envelopes and Test Methods for Building Envelopes, December 2006  Section 9	Site
	Water Penetration – Spray Bar	Section 10	Site
	Hose Test	NHBC Standards 2024 Section 6.9.17	Site
	Sparge Bar Test	NHBC Standards 2024 Section 6.9.18	Site
WINDOWS and CURTAIN WALLING	Watertightness Site Test	BS EN 13051:2001	Site
	Hose Test	AAMA 501.2-15  NHBC Standards 2024 Section 6.9.17	Site  Site
END			