


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 Accredited to ISO 15189:2022	<b>Medica Reporting Ltd</b>	
	<b>Issue No:</b> 001 <b>Issue date:</b> 09 August 2024	
	<b>Laboratory 507 Medica</b> The Heath Business & Technical Park Runcorn Cheshire WA7 4QX	<b>Contact: Emma Streater</b> <b>Tel:</b> +44 (0) 3333 111 000 ext. 103 <b>E-Mail:</b> Emma.Streater@medica.co.uk <b>Website:</b> www.medica.co.uk
Testing performed at the above address only		

Site activities performed away from the location listed above:

Location details	Activity
Off-site approved reporting locations	Morphological assessment, interpretation/diagnosis and reporting on digital images from pre-prepared slides



8311  
Accredited to  
ISO 15189:2022

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Medica Reporting Ltd**  
**Issue No:** 001 **Issue date:** 09 August 2024

Testing performed at main address only

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
HUMAN BODY TISSUE AND FLUIDS  Pre-prepared Slides	<u>Histopathological reporting activities for the purposes of clinical diagnosis</u>  Morphological assessment and interpretation/diagnosis	In-house documented procedures using manual methods or analysers in conjunction with manufacturers' instructions as specified:  <u>Slide scanning:</u> Using Eprelia 3D Histotech P1000 digital slide scanner and viewing software SOP Use of P1000 Scanner  <u>Digital image analysis:</u> Using Sectra IDS7 Picture Archiving and Communication System (PACS) for the receipt, storage, review, presentation, and retention management of digital microscopic slide images and patient information SOP Medical reporting
END		